

Tony Dold Publications

- Dold**, A.P. & Phillipson, P.B. 1998. A Revision of *Lachenalia* in the Eastern Cape Province of South Africa. *Bothalia* 28,2:141-149.
- Dold**, A.P. & Cocks, M.L. 1999. Preliminary list of Xhosa plant names from the Eastern Cape, South Africa. *Bothalia* 29,2: 267-292.
- Dold**, A.P. & Cocks, M.L. 2000. Indigenous Plant Use of the amaXhosa People on the eastern border of the Great Fish River Reserve, Eastern Cape. *Annals of the East Cape Museums* 1: 26-53.
- Dold**, A.P. & Moberg, R. 2000. Correction of an historical error in the taxonomic description of *Urginea ciliata*. *Bothalia* 30,1: 46-48.
- Dold**, A.P. & Cocks, M.L. 2000. The medicinal use of some weeds, problem and alien plants in the Grahamstown and Peddie Districts of the Eastern Cape, South Africa. *South African Journal of Science* 96,9/10: 467-475.
- Cocks, M.L. & **Dold**, A.P. 2000. The role of 'African Chemists' in the health care system of the Eastern Cape Province of South Africa. *Social Science & Medicine* 4,4/5: 1-11.
- Barker, N.P., Faden, R.B., Brink, E & **Dold**, A.P. 2001. Rediscovery of *Triceratella drummondii*, and comments on its relationships and position within the family. *Bothalia* 31,1: 37-39.
- Cocks, M., **Dold**, A. & Grundy, I. 2001. Challenges facing a community structure to implement CBNRM in the Eastern Cape, South Africa. *African Studies Quarterly* 5,3: [online] URL: <http://web.africa.ufl.edu/asq/v5/v5i3a4.htm>.
- Dold**, A.P. & Cocks, M.L. 2001. Traditional veterinary medicine in the Alice district of the Eastern Cape Province, South Africa. *South African Journal of Science* 97, 9&10: 375-379.
- Dold**, T. 2002. A new species of *Brachystelma* from the Eastern Cape Province, South Africa. *Bothalia* 32,1: 71-73.
- Dold**, A.P. & Cocks, M.L. 2002. The trade in medicinal plants in the Eastern Cape Province, South Africa. *South African Journal of Science* 98: 589-597.
- Dold**, A.P. & Bruyns, P.V. 2003. A new subspecies of *Brachystelma* from Eastern Cape, South Africa (Asclepiadoideae-Ceropegieae). *Bothalia* 33,1: 105-106.
- Dold**, A.P. & Hammer, S.H. 2003. A new species of *Ornithogalum* from Eastern Cape, South Africa. *Bothalia* 33,1: 112-115.

- Victor, J.E. & **Dold**, A.P. 2003. Threatened Plants of the Albany Centre of Floristic Endemism, South Africa. *South African Journal of Science* 99: 437–446.
- Brink, E. & **Dold**, A.P. 2003. *Drimia acarophylla* (Hyacinthaceae) a new species from Eastern Cape South Africa. *South African Journal of Botany* 69,3: 401–409.
- Dold**, A.P. 2003. The rediscovery of *Ornithogalum britteniae* (Hyacinthaceae) and an amendment to the description. *South African Journal of Botany* 69,4: 505–513.
- Cocks, M.L. & **Dold**, A.P. 2004. A new broom sweeps clean: The economic and cultural value of grass brooms in the Eastern Cape Province, South Africa. *Forests, Trees and Livelihoods* 13: 33–42.
- Dold**, A.P. & Brink, E. 2004. *Drimia chalumnensis* (Hyacinthaceae - Urgineoideae), a new species from Eastern Cape, South Africa. *South African Journal of Botany* 70(4): 631–634.
- Peter, C.I.; **Dold**, A.P.; Barker, N.P.; Ripley, B.S. 2004. Pollination biology of *Bergeranthus multiceps* (Aizoaceae) with preliminary observations of repeated flower opening and closure. *South African Journal of Science* 100: 624–629.
- Dold**, A.P. 2005. Book Review - Von Ahlefeldt, D., Crouch, N., Nichols, G., Symmonds, R., Mckean, S., Sibiyi, H. and Cele, M.P. (Edited by Prof K.D. Gordon-Gray) 2003. *Medicinal Plants traded on South Africa's Eastern Seaboard*. Pp.267. EtheKwini Parks Department and University of Natal. *Bothalia* 35,1: 111–113.
- Goldblatt, P., **Dold**, A.P. & Manning, J.C. 2005 Three cryptic new species of *Aristea* (Iridaceae) from southern Africa. *Bothalia* 35,1: 1–6.
- Dold**, A.P. & Condry, G. 2005. *Bobartia orientalis* subsp. *orientalis*. *Flowering Plants of Africa* 59:22–27.
- A.P. **Dold**, S.A. Hammer & N.P. Barker 2005. Leaves of grass: a taxonomic revision of the genus *Bergeranthus* Schwantes (Aizoaceae). *Haseltonia* 11: 78–97.
- Dold** A.P. 2006. *Ceropegia macmasteri* (Apocynaceae – Asclepiadoideae – Ceropegieae), a new species from Eastern Cape, South Africa. *South African Journal of Botany* 72: 14–146.
- Dold**.A.P. & Brink.E.2006. Hyacinthaceae. *Drimia montana*, (Urgineoideae), A new species From Eastern Cape, South Africa. *Bothalia* 36, 1: 64–66.
- Cocks, M.L. & **Dold**, A.P. 2006. Cultural significance of biodiversity: the role of medicinal plants in urban African cultural practices in the Eastern Cape, South Africa. *Journal of Ethnobiology* 26,2: 60–81.

- Venter, H.J.T., **Dold**, A.P., Verhoeven, R.L. & Ionta, G. 2006. *Kappia lobulata* (Apocynaceae, Periplocoideae), a new genus from South Africa. *South African Journal of Botany* 72 (4):529-533.
- Cocks, M. L., Bangay, L., Wiersum, K. F. & **Dold** A. P. 2006. Seeing the wood for the trees: the role of woody resources for the construction of gender specific household cultural artefacts in non-traditional communities in the Eastern Cape, South Africa. *Environment, Development and Sustainability* 8: 519–533.
- Koorbanally, C., Sewjee, S., Mulholland, D. A., Crouch, N.R. & **Dold**, A. 2007. Homoisoflavanones from *Pseudoprosperofirmifolium* of the monotypic tribe Pseudoprosperae (Hyacinthaceae: Hyacinthoideae). *Phytochemistry* 68: 2753-2756.
- M.L. Cocks and A.P. **Dold**. 2008. The Cultural use of the Wild Olive tree by the amaXhosa People in the Eastern Cape Province of South Africa. *Journal for the Study of Religion, Nature and Culture* 2.3: 292-308.
- Coombs, G, **Dold**, A.P. & Peter, C. I. 2011. Generalized fly-pollination in *Ceropegia ampliata* (Apocynaceae–Asclepiadoideae): the role of trapping hairs in pollen export and receipt. *Plant Systematics and Evolution* 296:137–148.
- Martinez-Azorin, M., Clark, V.R., Crespo, M.B., **Dold**, A.P. and Barker, N.P. 2011. *The rediscovery of *Albuca tenuifolia*, an orophilous species from the eastern Great Escarpment in South Africa*. *Nordic Journal of Botany* 29: 465-470.
- Martínez-Azorín, M., Crespo, M.B., **Dold**, A.P. & Barker, N.P. 2011. The identity of *Albuca caudata* Jacq. (Hyacinthaceae) and a description of a new related species: *A. bakeri*. *PhytoKeys* 5: 5–19.
- Martinez-Azorin, M., Crespo, M. B., **Dold**, A. P. & Barker, N.P. 2011. *Albuca annulata* sp. nov. (Hyacinthaceae) from the Albany Centre of Endemism, South Africa. *Nordic Journal of Botany* 29: 696 - 699.
- Cocks, M.L., **Dold**, T. & Vetter, S. 2012. “*God is my forest*” - Xhosa cultural values provide untapped opportunities for conservation. *South African Journal of Science* 108(5/6): 52-59.
- Martinez-Azorín, M., Crespo, M., **Dold**, A.P. & Barker, N.P. 2012. *The identity of *Albuca bifolia* (Hyacinthaceae), and the description of two related new species, *A. anisocrispa* and *A. pseudobifolia*, from Eastern Cape, South Africa*. *Systematic Botany* 37(3): 599–605.

- G. Coombs & A. P. **Dold** & E. I. Brassine & C. I. Peter. 2012. *Large pollen loads of a South African asclepiad do not interfere with the foraging behaviour or efficiency of pollinating honey bees*. *Naturwissenschaften* 99: 545-52.
- Martínez-Azorín, M., Crespo, M. B. & **Dold**, A.P. 2012. *Albuca tenuifolia* and *A. shawii* (Ornithogaloideae), two distinct species from South Africa *Bothalia* 42, 2.
- Cocks, M.L., Alexander, J. & **Dold**, T. 2012. *Inkcubeko Nendalo: A Bio-cultural Diversity Schools Education Project in South Africa and its Implications for Inclusive Indigenous Knowledge Systems (IKS) Sustainability*. *Journal of Education for Sustainable Development* 6: 241-252.
- Martínez-Azorín, M., Crespo, M. B. & **Dold**, A.P. 2013. *Stellarioides chartacea* (Hyacinthaceae, Ornithogaloideae), a new species from the Eastern Cape Province in South Africa. *Phytotaxa* 85, 1: 1–8.
- Martínez-Azorín, M., Crespo, M. B., **Dold**, A. P., Wetschnig, W., Pinter, M., Pfosser, M. & Van Jaarsveld, E. 2013. *Sagittanthera* a new buzz pollinated genus from South Africa. *Phytotaxa* 98, 2: 43-54.
- Martínez-Azorín, M., Crespo, M. B. & **Dold**, A.P. 2013. *Trimelopterocraibii* (Hyacinthaceae, Ornithogaloideae), a new species from the North West Province of South Africa. *Phytotaxa* 87 (3): 50–60.
- Coombs, G, **Dold**, A. P., Peter, C. I. & Abraham, S. 2013. *Chlorocyathus lobulata*. *Flowering Plants of Africa* 63: 132–136.
- Martínez-Azorín, M., Crespo, M. B. & **Dold**, A.P. 2013. *Drimia cochlearis* (Hyacinthaceae), a New Species from South Africa. *Systematic Botany* 38, 2: 332-338.
- Martínez-Azorín, M., Crespo, M. B. & **Dold**, A.P. 2013. New data on *Albuca crispa* (Hyacinthaceae, Ornithogaloideae), an erect-flowered *Albuca* from South Africa. *Phytotaxa* 104 (1): 1–11.
- Clark, V. R., **Dold**, A. P., McMaster, C., McGregor, G., Bredenkamp, C. & Barker, N. P. 2014. Rich sister, poor cousin: Plant diversity and endemism in the Great Winterberg-Amatholes (Great Escarpment, Eastern Cape, South Africa). *South African Journal of Botany* 92: 159–174
- Martínez-Azorín, M., Crespo, M.B., **Dold**, A.P., Pinter, M. & Wetschnig, W. 2014. *Nicipe rosulata* (Ornithogaloideae, Hyacinthaceae), a new species from the Little Karoo in South Africa, with a new combination in the genus. *Systematic Botany* 39, 3: 785–790.

- Martínez-Azorín, M., Clark, V.R., Pinter, M., **Dold**, A.P., Crespo, M.B. Barker, N.P., Pfosser, M. & Wetschnig, W. 2014. *Massonia dentata* (Asparagaceae, Scilloideae), a new species from the Nuweveldberge, and typification of the Sneeuberg endemic *M. calvata* (southern Great Escarpment, South Africa). *Phytotaxa* 175, (4): 201–215.
- Wetschnig, W., Martínez-Azorín, M., Pinter, M., Brudermann, A. Deutsch, G., Crespo, M.B., **Dold**, A.P. & Pfosser, M. 2014. *Massonia saniensis* (Asparagaceae, Scilloideae), a new species from Lesotho, southern Africa. *Phytotaxa* 173 (3): 181–195.
- Martínez-Azorín, M., Pinter, M., Deutsch, G., Brudermann, A., **Dold**, A.P., Crespo, M.B., Pfosser, M. & Wetschnig, W. 2014. *Massonia amoena* (Asparagaceae, Scilloideae), a striking new species from the Eastern Cape, South Africa. *Phytotaxa* 181 (3): 121–137.
- Bentley, L., Barker, N.P. & **Dold**, A.P. 2014. Genetic diversity of the endangered *Faucariatigrina* (Aizoaceae) through ISSR “fingerprinting” using automated fragment detection. *Biochemical Systematics and Ecology* 58:156–161.
- Martínez-Azorín, M., Crespo, M.B., **Dold**, A.P., Pinter, M., & Wetschnig, W. 2015. New combinations and lectotype designations in Asparagaceae subfam. Scilloideae. *Phytotaxa* 201 (2): 165–171.
- Martínez-Azorín, M., Crespo, M.B., **Dold**, A.P., Pinter, M. & Wetschnig, W. 2015. *Stellarioides exigua* (Asparagaceae, Scilloideae), a new species from South Africa. *Phytotaxa* 204 (2): 137–146.
- Martínez-Azorín, M., **Dold**, A.P., Pinter, M., Slade, J.M., Crespo, M.B., Milkuhn, G. & Wetschnig, W. 2015. *Massonia obermeyerae* (Asparagaceae, Scilloideae), a new species from South Africa. *Phytotaxa* 205 (1): 39–50
- Clark, V.R., Bentley, J., **Dold**, A.P., Zikishe, V. & Barker, N.P. 2016. The rediscovery of the Great Winterberg endemic *Lotononis harveyi* B.–E. van Wyk after 147 years, and notes on the poorly known Amathole endemic *Macowania revoluta* Oliv. (southern Great Escarpment, South Africa). *PhytoKeys* 62: 113–124.
- Martínez-Azorín, M., **Dold**, A.P. & Crespo, M.B. 2016. *Drimia trichophylla* (Hyacinthaceae, Urgineoideae), a New Species from the Eastern Cape Province, South Africa. *Systematic Botany* 41(4): 944–949